ELSEVIER

Journal of Affective Disorders 51 (1998) 353–355

JOURNAL OF AFFECTIVE DISORDERS

Author index

Akiskal, H.S.
The childhood roots of bipolar disorder (51) 75
Akiskal, H.S., see Pinto, O.C. (51) 333
Akiskal, H.S., Placidi, G.F., Maremmani, I., Signoretta, S., Liguori, A., Gervasi, R., Mallya, G. and Puzantian, V.R.
TEMPS-I: delineating the most discriminant traits of the cyclothymic, depressive, hyperthymic and irritable temperaments in a nonpatient population (51) 7
Akiskal, H.S., see Placidi, G.F. (51) 199
Akiskal, H.S., see von Zerssen, D. (51) 1
Angst, J. and Clayton, P.J.
Personality, smoking and suicide: a prospective study (51) 55
Avenet, P., see Curet, O. (51) 287

Barkin, R.L., see Fawcett, J. (51) 267
Bayon, C., see Cloninger, C.R. (51) 21
Berger, M., see Hecht, H. (51) 33
Bergis, O., see Curet, O. (51) 287
Beringer, L., see Geller, B. (51) 81
Beyer, D., see Deltito, J. (51) 345
Biederman, J., Russell, R., Soriano, J., Wozniak, J. and Faraone, S.V.
Clinical features of children with both ADHD and mania. does ascertainment source make a difference? (51) 101
Bird, D., see Kutcher, S. (51) 137
Blier, P., see Haddjeri, N. (51) 255

Caille, D., see Curet, O. (51) 287
Carlson, G.A.
Mania and ADHD: comorbidity or confusion (51) 177
Carlson, G.A. and Fahim, F.
"George" (51) 195
Carlson, G.A. and Kelly, K.L.
Manic symptoms in psychiatrically hospitalized children – what do they mean? (51) 123
Carlson, G.A., Loney, J., Salisbury, H. and Volpe, R.J.
Young referred boys with DICA-P manic symptoms vs. two comparison groups (51) 113
Chazan, R.Z., see Merikangas, K.R. (51) 63
Clayton, P.J., see Angst, J. (51) 55
Cloninger, C.R., Bayon, C. and Svrakic, D.M.
Measurement of temperament and character in mood disorders: a model of fundamental states as personality types (51) 21

Coletti, D.J., see Kafantaris, V. (51) 153
Cooper, T.B., see Geller, B. (51) 165
Curet, O., Damoiseau-Ovens, G., Sauvage, C., Sontag, N., Avenet, P., Depoortere, H., Caille, D., Bergis, O. and Scatton, B.
Preclinical profile of befloxatone, a new reversible MAO-A inhibitor (51) 287
Curet, O., see Rosenzweig, P. (51) 305

Damoiseau-Ovens, G., see Curet, O. (51) 287
DeAntonio, M., see Strober, M. (51) 145
Deltito, J. and Beyer, D.
The scientific, quasi-scientific and popular literature on the use of St. John's Wort in the treatment of depression (51) 345
de Montigny, C., see Haddjeri, N. (51) 255
Depoortere, H., see Curet, O. (51) 287
Diamond, J., see Strober, M. (51) 145
Dicker, R., see Kafantaris, V. (51) 153
Dogin, J.W., see Weller, E. (51) 189
Dubruc, C., see Rosenzweig, P. (51) 305
Durrieu, G., see Rosenzweig, P. (51) 305

Fahim, F., see Carlson, G.A. (51) 195
Faraone, S.V., see Biederman, J. (51) 101
Fawcett, J. and Barkin, R.L.
Review of the results from clinical studies on the efficacy, safety and tolerability of mirtazapine for the treatment of patients with major depression (51) 267
Frazier, J., see Geller, B. (51) 81
Frazier, J., see Geller, B. (51) 165
Freeman, R., see Strober, M. (51) 145

Geller, B., Cooper, T.B., Zimerman, B., Frazier, J., Williams, M., Heath, J. and Warner, K.
Lithium for prepubertal depressed children with family history predictors of future bipolarity: a double-blind, placebo-controlled study (51) 165
Geller, B., Warner, K., Williams, M. and Zimerman, B.
Prepubertal and young adolescent bipolarity versus ADHD: assessment and validity using the WASH-U-KSADS, CBCL and TRF (51) 93
Geller, B., Williams, M., Zimerman, B., Frazier, J., Beringer, L. and Warner, K.L.
Prepubertal and early adolescent bipolarity differentiate from ADHD by manic symptoms, grandiose delusions, ultra-rapid or ultradian cycling (51) 81

S0165-0327(99)00039-7

Gervasi, R., see Akiskal, H.S. (51) 7

Haddjeri, N., Blier, P. and de Montigny, C.
Acute and long-term actions of the antidepressant drug mirtazapine on central 5-HT neurotransmission (51) 255
Healy, D. and Healy, H.
The clinical pharmacologic profile of reboxetine: does it involve the putative neurobiological substrates of wellbeing? (51) 313
Healy, H., see Healy, D. (51) 313
Heath, J., see Geller, B. (51) 165
Hecht, H., van Calker, D., Berger, M. and von Zerssen, D.
Personality in patients with affective disorders and their relatives (51) 33
Holsboer, F., see Lauer, C.J. (51) 45
Horst, W.D. and Preskorn, S.H.
Mechanisms of action and clinical characteristics of three atypical antidepressants: venlafaxine, nefazodone, bupropion (51) 237

Jensen, P.S., see Nottelmann, E.D. (51) 77
Judd, L.L.
A decade of antidepressant development: the SSRIs and beyond (51) 211

Kafantaris, V., Coletti, D.J., Dicker, R., Padula, G. and Pollack, S.
Are childhood psychiatric histories of bipolar adolescents associated with family history, psychosis, and response to lithium treatment? (51) 153
Kelly, K.L., see Carlson, G.A. (51) 123
Krieg, J.-C., see Lauer, C.J. (51) 45
Kutcher, S., Robertson, H.A. and Bird, D.
Premorbid functioning in adolescent onset bipolar I disorder: a preliminary report from an ongoing study (51) 137

Lampert, C., see Strober, M. (51) 145
Lauer, C.J., von Zerssen, D., Schreiber, W., Modell, S., Holsboer, F. and Krieg, J.-C.
The pre-morbid psychometric profile is stable over time in subjects at high familial risk for affective disorders (51) 45
Legangneux, E., see Rosenzweig, P. (51) 305
Liguori, A., see Akiskal, H.S. (51) 7
Liguori, A., see Placidi, G.F. (51) 199
Loney, J., see Carlson, G.A. (51) 113

Mallya, G., see Akiskal, H.S. (51) 7
Maremmani, I., see Akiskal, H.S. (51) 7
Maremmani, I., see Placidi, G.F. (51) 199
Merikangas, K.R., Swendsen, J.D., Preisig, M.A. and Chazan, R.Z.
Psychopathology and temperament in parents and offspring: results of a family study (51) 63
Modell, S., see Lauer, C.J. (51) 45

Nottelmann, E.D. and Jensen, P.S.
Current issues in childhood bipolarity (51) 77

Padula, G., see Kafantaris, V. (51) 153
Patat, A., see Rosenzweig, P. (51) 305
Pinto, O.C. and Akiskal, H.S.
Lamotrigine as a promising approach to borderline personality: an open case series without concurrent DSM-IV major mood disorder (51) 333
Placidi, G.F., see Akiskal, H.S. (51) 7
Placidi, G.F., Maremmani, I., Signoretta, S., Liguori, A. and Akiskal, H.S.
A prospective study of stability and change over 2 years of affective temperaments in 14–18 year-old Italian high school students (51) 199
Pollack, S., see Kafantaris, V. (51) 153
Preisig, M.A., see Merikangas, K.R. (51) 63
Preskorn, S.H., see Horst, W.D. (51) 237
Puzantian, V.R., see Akiskal, H.S. (51) 7

Robertson, H.A., see Kutcher, S. (51) 137
Rosenzweig, P., Patat, A., Curet, O., Durrieu, G., Dubruc, C., Zieleniuk, I. and Legangneux, E.
Clinical pharmacology of befloxatone: a brief review (51) 305
Russell, R., see Biederman, J. (51) 101

Salisbury, H., see Carlson, G.A. (51) 113
Sauvage, C., see Curet, O. (51) 287
Scatton, B., see Curet, O. (51) 287
Schmidt-Lackner, S., see Strober, M. (51) 145
Schreiber, W., see Lauer, C.J. (51) 45
Signoretta, S., see Akiskal, H.S. (51) 7
Signoretta, S., see Placidi, G.F. (51) 199
Sontag, N., see Curet, O. (51) 287
Soriano, J., see Biederman, J. (51) 101
Stahl, S.M.
Mechanism of action of serotonin selective reuptake inhibitors. Serotonin receptors and pathways mediate therapeutic effects and side effects (51) 215
Strober, M., DeAntonio, M., Schmidt-Lackner, S., Freeman, R., Lampert, C. and Diamond, J.
Early childhood attention deficit hyperactivity disorder predicts poorer response to acute lithium therapy in adolescent mania (51) 145
Svrakic, D.M., see Cloninger, C.R. (51) 21
Swendsen, J.D., see Merikangas, K.R. (51) 63

van Calker, D., see Hecht, H. (51) 33
Versiani, M.
Pharmacotherapy of dysthymic and chronic depressive disorders: overview with focus on moclobemide (51) 323
Volpe, R.J., see Carlson, G.A. (51) 113
von Zerssen, D. and Akiskal, H.S.
Personality factors in affective disorders: historical developments and current issues with special reference to the concepts of temperament and character (51) 1
von Zerssen, D., see Hecht, H. (51) 33
von Zerssen, D., see Lauer, C.J. (51) 45

Warner, K., see Geller, B. (51) 93

Warner, K., see Geller, B. (51) 165
Warner, K.L., see Geller, B. (51) 81
Weller, E., Weller, R.A. and Dogin, J.W.
A rose is a rose is a rose (51) 189
Weller, R.A., see Weller, E. (51) 189
Williams, M., see Geller, B. (51) 81
Williams, M., see Geller, B. (51) 93
Williams, M., see Geller, B. (51) 165
Wozniak, J., see Biederman, J. (51) 101
Zieleniuk, I., see Rosenzweig, P. (51) 305
Zimerman, B., see Geller, B. (51) 81
Zimerman, B., see Geller, B. (51) 93
Zimerman, B., see Geller, B. (51) 165

ELSEVIER

Journal of Affective Disorders 51 (1998) 357–360

JOURNAL OF AFFECTIVE DISORDERS

Subject index

Acute lithium therapy; Adolescents; Mania; Early childhood attention deficit disorder **51,** 145

ADHD; Bipolar disorder; Comorbidity; Children; Adolescents **51,** 101

ADHD; Childhood mania; Comorbidity; Parent rating scales; Teacher rating scales; Prepubertal bipolar disorder **51,** 113

Adolescent; Child; Bipolar; Ultra-rapid cycling; Attention-deficit hyperactivity disorder; Psychosis **51,** 81

Adolescents; Bipolar; Children; WASH-U-KSADS; CBCL; TRF **51,** 93

Adolescents; Bipolar disorder; ADHD; Comorbidity; Children **51,** 101

Adolescents; Acute lithium therapy; Mania; Early childhood attention deficit disorder **51,** 145

Adolescents; Psychosis; Bipolar; Treatment; Lithium **51,** 153

Affective disorders; High-risk probands; Psychometric vulnerability marker; Follow-up **51,** 45

Affective temperaments; Semi-structured interview; Cyclothymic; Hyperthymic; Depressive and irritable temperaments **51,** 7

Affective temperaments; Semistructured interview; Stability; Instability; Cyclothymic, hyperthymic, depressive and irritable temperaments **51,** 199

Aggression; Suicide; Smoking **51,** 55

Antidepressant; Norepinephrine modulation; Serotonin neurotransmission; Mirtazapine **51,** 255

Antidepressant; Autoradiograhy; Autoreceptor; Brain; Dorsal raphe nucleus; Locus coeruieus; Microdialysis; Monoamine oxidase inhibitor; Monoamines; Substantia nigra **51,** 287

Antidepressant; Monoamine oxidase inhibitor; Human pharmacology; Tyramine interaction **51,** 305

Antidepressant; reboxetine; Monoamine theories; Temperament; Qualify of life **51,** 313

Antidepressants; Bupropion; Nefazodone; Venlafaxine **51,** 237

Attention deficit hyperactivity disorder; Mania; Bipolar disorder; Manic depression; Childhood **51,** 177

Attention-deficit hyperactivity disorder; Child; Adolescent; Bipolar; Ultra-rapid cycling; Psychosis **51,** 81

Autoradiograhy; Antidepressant; Autoreceptor; Brain; Dorsal raphe nucleus; Locus coeruieus; Microdialysis; Monoamine oxidase inhibitor; Monoamines; Substantia nigra **51,** 287

Autoreceptor; Antidepressant; Autoradiograhy; Brain; Dorsal raphe nucleus; Locus coeruieus; Microdialysis; Monoamine oxidase inhibitor; Monoamines; Substantia nigra **51,** 287

Benzamide; Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Double-depression; Moclobemide; Sertraline; Desipramine; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Biographical Personality Interview; Premorbid personality; Depression; Bipolar disorder; High-risk group; Personality Questionnaire **51,** 33

Bipolar; Child; Adolescent; Ultra-rapid cycling; Attention-deficit hyperactivity disorder; Psychosis **51,** 81

Bipolar; Children; Adolescents; WASH-U-KSADS; CBCL; TRF **51,** 93

Bipolar; Youth; Premorbid; Psychosocial functioning **51,** 137

Bipolar; Psychosis; Treatment; Lithium; Adolescents **51,** 153

Bipolar; Children; Depression; Double-blind placebo controlled study; Lithium; Family history **51,** 165

Bipolar disorder; Premorbid personality; Depression; High-risk group; Biographical Personality Interview; Personality Questionnaire **51,** 33

Bipolar disorder; ADHD; Comorbidity; Children; Adolescents **51,** 101

Bipolar disorder; Mania; Manic depression; Attention deficit hyperactivity disorder; Childhood **51,** 177

Brain; Antidepressant; Autoradiograhy; Autoreceptor; Dorsal raphe nucleus; Locus coeruieus; Microdialysis; Monoamine oxidase inhibitor; Monoamines; Substantia nigra **51,** 287

Bulimia; Fluoxetine; Fluvoxamine; Paroxetine; Sertraline; Citalopram; Depression; Panic; Obsessive–compulsive **51,** 215

Bupropion; Nefazodone; Venlafaxine; Antidepressants **51,** 237

S0165-0327(99)00040-3

CBCL; Bipolar; Children; Adolescents; WASH-U-KSADS; TRF **51,** 93

Character; Personality; Temperament; Mania; Depression; Typology **51,** 21

Child; Adolescent; Bipolar; Ultra-rapid cycling; Attention-deficit hyperactivity disorder; Psychosis **51,** 81

Childhood; Mania; Bipolar disorder; Manic depression; Attention deficit hyperactivity disorder **51,** 177

Childhood mania; ADHD; Comorbidity; Parent rating scales; Teacher rating scales; Prepubertal bipolar disorder **51,** 113

Children; Bipolar; Adolescents; WASH-U-KSADS; CBCL; TRF **51,** 93

Children; Bipolar disorder; ADHD; Comorbidity; Adolescents **51,** 101

Children; Depression; Bipolar; Double-blind placebo controlled study; Lithium; Family history **51,** 165

Chronic depression; Dysthymia; Dysthymic disorder; Chronic disease; Double-depression; Moclobemide; Sertraline; Desipramine; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Chronic disease; Dysthymia; Dysthymic disorder; Chronic depression; Double-depression; Moclobemide; Sertraline; Desipramine; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Citalopram; Fluoxetine; Fluvoxamine; Paroxetine; Sertraline; Depression; Panic; Obsessive–compulsive; Bulimia **51,** 215

Comorbidity; Bipolar disorder; ADHD; Children; Adolescents **51,** 101

Comorbidity; Childhood mania; ADHD; Parent rating scales; Teacher rating scales; Prepubertal bipolar disorder **51,** 113

Cyclothymic; Affective temperaments; Semi-structured interview; Hyperthymic; Depressive and irritable temperaments **51,** 7

Cyclothymic, hyperthymic, depressive and irritable temperaments; Affective temperaments; Semistructured interview; Stability; Instability **51,** 199

Depression; Personality; Temperament; Character; Mania; Typology **51,** 21

Depression; Premorbid personality; Bipolar disorder; High-risk group; Biographical Personality Interview; Personality Questionnaire **51,** 33

Depression; Children; Bipolar; Double-blind placebo controlled study; Lithium; Family history **51,** 165

Depression; Fluoxetine; Fluvoxamine; Paroxetine; Sertraline; Citalopram; Panic; Obsessive–compulsive; Bulimia **51,** 215

Depressive and irritable temperaments; Affective temperaments; Semi-structured interview; Cyclothymic; Hyperthymic **51,** 7

Desipramine; Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Double-depression; Moclobemide; Sertraline; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Dorsal raphe nucleus; Antidepressant; Autoradiograhy; Autoreceptor; Brain; Locus coeruieus; Microdialysis; Monoamine oxidase inhibitor; Monoamines; Substantia nigra **51,** 287

DOTS; Temperament; Family study; Psychopathology **51,** 63

Double-blind placebo controlled study; Children; Depression; Bipolar; Lithium; Family history **51,** 165

Double-depression; Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Moclobemide; Sertraline; Desipramine; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Double-depression; Moclobemide; Sertraline; Desipramine; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Dysthymic disorder; Dysthymia; Chronic depression; Chronic disease; Double-depression; Moclobemide; Sertraline; Desipramine; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Early childhood attention deficit disorder; Acute lithium therapy; Adolescents; Mania **51,** 145

Family history; Children; Depression; Bipolar; Double-blind placebo controlled study; Lithium **51,** 165

Family study; Temperament; Psychopathology; DOTS **51,** 63

Fluoxetine; Fluvoxamine; Paroxetine; Sertraline; Citalopram; Depression; Panic; Obsessive–compulsive; Bulimia **51,** 215

Fluvoxamine; Fluoxetine; Paroxetine; Sertraline; Citalopram; Depression; Panic; Obsessive–compulsive; Bulimia **51,** 215

Follow-up; High-risk probands; Affective disorders; Psychometric vulnerability marker **51,** 45

High-risk group; Premorbid personality; Depression; Bipolar disorder; Biographical Personality Interview; Personality Questionnaire **51,** 33

High-risk probands; Affective disorders; Psychometric vulnerability marker; Follow-up **51,** 45

Hospitalised children; Manic symptoms **51,** 123

Human pharmacology; Antidepressant; Monoamine oxidase inhibitor; Tyramine interaction **51,** 305

Hyperthymic; Affective temperaments; Semi-structured interview; Cyclothymic; Depressive and irritable temperaments **51,** 7

Instability; Affective temperaments; Semistructured interview; Stability; Cyclothymic, hyperthymic, depressive and irritable temperaments **51,** 199

Lithium; Psychosis; Bipolar; Treatment; Adolescents **51,** 153

Lithium; Children; Depression; Bipolar; Double-blind placebo controlled study; Family history **51,** 165

Locus coeruieus; Antidepressant; Autoradiograhy; Autoreceptor; Brain; Dorsal raphe nucleus; Microdialysis; Monoamine oxidase inhibitor; Monoamines; Substantia nigra **51,** 287

Mania; Personality; Temperament; Character; Depression; Typology **51,** 21

Mania; Acute lithium therapy; Adolescents; Early childhood attention deficit disorder **51,** 145

Mania; Bipolar disorder; Manic depression; Attention deficit hyperactivity disorder; Childhood **51,** 177

Manic depression; Mania; Bipolar disorder; Attention deficit hyperactivity disorder; Childhood **51,** 177

Manic symptoms; Hospitalised children **51,** 123

Microdialysis; Antidepressant; Autoradiograhy; Autoreceptor; Brain; Dorsal raphe nucleus; Locus coeruieus; Monoamine oxidase inhibitor; Monoamines; Substantia nigra **51,** 287

Mirtazapine; Norepinephrine modulation; Serotonin neurotransmission; Antidepressant **51,** 255

Moclobemide; Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Double-depression; Sertraline; Desipramine; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Monoamine oxidase inhibitor; Antidepressant; Autoradiograhy; Autoreceptor; Brain; Dorsal raphe nucleus; Locus coeruieus; Microdialysis; Monoamines; Substantia nigra **51,** 287

Monoamine oxidase inhibitor; Antidepressant; Human pharmacology; Tyramine interaction **51,** 305

Monoamine theories; Antidepressant; Reboxetine; Temperament; Quality of life **51,** 313

Monoamineoxidase inhibitor; Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Double-depression; Moclobemide; Sertraline; Desipramine; Benzamide; Tricyclic antidepressants **51,** 323

Monoamines; Antidepressant; Autoradiograhy; Autoreceptor; Brain; Dorsal raphe nucleus; Locus coeruieus; Microdialysis; Monoamine oxidase inhibitor; Substantia nigra **51,** 287

Nefazodone; Bupropion; Venlafaxine; Antidepressants **51,** 237

Norepinephrine modulation; Serotonin neurotransmission; Mirtazapine; Antidepressant **51,** 255

Obsessive–compulsive; Fluoxetine; Fluvoxamine; Paroxetine; Sertraline; Citalopram; Depression; Panic; Bulimia **51,** 215

Panic; Fluoxetine; Fluvoxamine; Paroxetine; Sertraline; Citalopram; Depression; Obsessive–compulsive; Bulimia **51,** 215

Parent rating scales; Childhood mania; ADHD; Comorbidity; Teacher rating scales; Prepubertal bipolar disorder **51,** 113

Paroxetine; Fluoxetine; Fluvoxamine; Sertraline; Citalopram; Depression; Panic; Obsessive–compulsive; Bulimia **51,** 215

Personality; Temperament; Character; Mania; Depression; Typology **51,** 21

Personality Questionnaire; Premorbid personality; Depression; Bipolar disorder; High-risk group; Biographical Personality Interview **51,** 33

Premorbid; Bipolar; Youth; Psychosocial functioning **51,** 137

Premorbid personality; Depression; Bipolar disorder; High-risk group; Biographical Personality Interview; Personality Questionnaire **51,** 33

Prepubertal bipolar disorder; Childhood mania; ADHD; Comorbidity; Parent rating scales; Teacher rating scales **51,** 113

Psychometric vulnerability marker; High-risk probands; Affective disorders; Follow-up **51,** 45

Psychopathology; Temperament; Family study; DOTS **51,** 63

Psychosis; Child; Adolescent; Bipolar; Ultra-rapid cycling; Attention-deficit hyperactivity disorder **51,** 81

Psychosis; Bipolar; Treatment; Lithium; Adolescents **51,** 153

Psychosocial functioning; Bipolar; Youth; Premorbid **51,** 137

Quality of life; Antidepressant; Reboxetine; Monoamine theories; Temperament **51,** 313

Reboxetine; Antidepressant; Monoamine theories; Temperament; Quality of life **51,** 313

Semistructured interview; Affective temperaments; Stability; Instability; Cyclothymic, hyperthymic, depressive and irritable temperaments **51,** 199

Semi-structured interview; Affective temperaments; Cyclothymic; Hyperthymic; Depressive and irritable temperaments **51,** 7

Serotonin neurotransmission; Norepinephrine modulation; Mirtazapine; Antidepressant **51,** 255

Sertraline; Fluoxetine; Fluvoxamine; Paroxetine; Citalopram; Depression; Panic; Obsessive–compulsive; Bulimia **51,** 215

Sertraline; Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Double-depression; Moclobemide; Desipramine; Benzamide; Tricyclic antidepressants; Monoamineoxidase inhibitor **51,** 323

Smoking; Suicide; Aggression **51,** 55

Stability; Affective temperaments; Semistructured interview; Instability; Cyclothymic, hyperthymic, depressive and irritable temperaments **51,** 199

Substantia nigra; Antidepressant; Autoradiograhy; Autoreceptor; Brain; Dorsal raphe nucleus; Locus coeruieus; Microdialysis; Monoamine oxidase inhibitor; Monoamines **51,** 287

Suicide; Aggression; Smoking **51,** 55

Teacher rating scales; Childhood mania; ADHD; Comorbidity; Parent rating scales; Prepubertal bipolar disorder **51,** 113

Temperament; Personality; Character; Mania; Depression; Typology **51,** 21

Temperament; Family study; Psychopathology; DOTS **51,** 63

Temperament; Antidepressant; Reboxetine; monoamine theories; Quality of life **51,** 313

Treatment; Psychosis; Bipolar; Lithium; Adolescents **51,** 153

TRF; Bipolar; Children; Adolescents; WASH-U-KSADS; CBCL **51,** 93

Tricyclic antidepressants; Dysthymia; Dysthymic disorder; Chronic depression; Chronic disease; Double-depression; Moclobemide; Sertraline; Desipramine; Benzamide; Monoamineoxidase inhibitor **51,** 323

Typology; Personality; Temperament; Character; Mania; Depression **51,** 21

Tyramine interaction; Antidepressant; Monoamine oxidase inhibitor; Human pharmacology **51,** 305

Ultra-rapid cycling; Child; Adolescent; Bipolar; Attention-deficit hyperactivity disorder; Psychosis **51,** 81

Venlafaxine; Bupropion; Nefazodone; Antidepressants **51,** 237

WASH-U-KSADS; Bipolar; Children; Adolescents; CBCL; TRF **51,** 93

Youth; Bipolar; Premorbid; Psychosocial functioning **51,** 137